

Name:	_ Date of Birth:		Date:
Section 1: ID Risk Screen			
■ No Travel History □ Last 7 Days ■	Last 14 Days [Last 21 Days	Last 2 Months
Recent Travel Location:			
Family Member/Household/Contact Trave	el History		
■ No Travel History □ Last 7 Days ■	Last 14 Days [Last 21 Days	☐ Last 2 Months
Recent Travel Location:			
*Contact with person with highly contagion the systems below: Yes No	ous disease (Ebo	la/MERS/2019-n	CoV) AND have one or more of
*Travel to a country with wide-spread (E more of the systems below: Yes		.9-nCoV) in the լ	past 21 days AND have one or
Ebola Symptoms: Fever, Headache, Wed Hemorrhage	akness, Muscle	Pain, Vomiting,	diarrhea, Abdominal Pain or
MERS (Middle East Respiratory Syndrome) Difficulty Breathing, Nausea, Vomiting, Did Zika Symptoms: Macular or Papular Rash, Some symptoms are not unique for TB. Fo 2019-nCov (2019-nCoV Novel Coronavirus (e.g., cough, difficulty breathing) Infectious Disease Risk Factors/Symptoms	arrhea, Abdomii Fever, Arthralgi Ir new or worser S) Symptoms: Fe	nal Pain or Musc ia or Conjunctivit ning cough, provi ever and sympto	le Pain is ide patient with a mask. ms of lower respiratory illness

	Yes	No
Chills		
Fever		
Fatigue		
Headache		
Runny or Stuffy Nose		
Sore Throat		
Difficulty Breathing		
Shortness of Breath		
New or Worsening Cough		
Wheezing		
MDRO History Surveillance		

	Yes	No
Vomiting		
Diarrhea		
Abdominal(Stomach		
Pain)		
Weakness/Numbness		
Exposure to Disease		
Abnormal Breathing		
Unexplained bruising		
Joint Pain		
Abscess		
Rash		

	Yes	No
History of Clostridium Difficile		
History of Extended Spectrum beta-Lactamase		
History of MRSA		
History of Vancomycin-resistant enterococci		
History of Carbapenem-resistant Enterobacteriaceae		
Other		



Verify droplet, Contact Isolation for Ebola:	s 🗖 N/A
*Verify Airborne, Contact Isolation for MERS/2019-	CoV: TYes N/A
Does the patient have any of the following condition	ons that compromise the immune system?
 None Acquired immune deficiency syndrome (AIDS) AIDS related complex (ARC) Any immunodeficiency syndrome Chronic Lymphocytic Leukemia (CLL) Congenital or hereditary immunodeficiency Human Immunodeficiency Virus (HIV) Leukemia within 90 days Lymphocytic Leukemia within 90 days Marked Neutropenia within 90 days Myelodysplasia within 90 days 	 O Myelogenic Leukemia within 90 days O Organ Transplant O Pancytopenia within 90 days O Prior hospitalization within 14 days O Radiation therapy within 90 days O Significant neutropenia within 90 days O Systemic chemotherapy within 90 days O Systemic corticosteroid/Prednisone therapy within 90 days O Systemic immunosuppressive therapy within 90 days
Section 2: Summary	
Chief Complaint:	
Neck Circumference:inches	
Onset of Symptoms:	
Additional Information:	
Preferred Language: Me	ethod of Arrival:
Arrived With: Cor	nsent Signed:
Onset of Symptoms:	Last Menstrual Period:
Vitals:	
BP: BP site:	HR: HR Site:
Temp: Site: RR: _	SpO2 %: O2:
Measurements:	
Height:in/cm Weight:	lb/kg Method Weight Obtained:
Head Circumference:cm Chest Circumference:cm	



Section 3: Problems and Visit Diagnosis: Any changes from your previous visit? Diagnosis: Why are you being seen today? Past Medical History: **Date Problem** Section 4: Medications/Allergies: Any changes from your previous visit? Please list $\underline{\text{medications}}$ (including supplements) you are taking now, as well as the $\underline{\text{dose}}$ and $\underline{\text{date}}$ you started taking it (if known): **Medication Name** Start Date Dose (amount taking) Please list any known <u>allergies</u> you have, as well as the type of reaction: **Allergy** Type of Reaction

☐ Yes

☐ No

Do You have a Latex (rubber) allergy?





<u>Section 5: Procedures/Surgeries:</u> Any changes from your previous visit?

•		
Anesthesia and Transfusi	ONS: Anesthesia Reaction(s)	Blood Transfusion Acceptable
No anesthesia history Prior anesthesia Prior anesthesia reaction No transfusion history Prior transfusion Prior transfusion reaction Unknown	None Awareness Cardiac arrest Difficult intubation Excessive post op nausea Hypertension Malignant hyperthermia Unknown reaction Vomiting Other:	O Yes O No O No, except for Acceptable Blood Related Products ☐ Albumin ☐ Cryoprecipitate ☐ Darbepoetin (Aranesp) ☐ Erythropoietin ☐ Factor IX concentrates ☐ Factor VII concentrates ☐ Immune globulins
Anxiety	neralized bleeding Rigors adache Tachycardia noglobinuria Tachypnea ertension Utricaria notension Vomiting noxia Wheezing at pain Other: usea uria ting from puncture sites n at insertion site	Intraoperative cell salvage Intraoperative hemodilution Platelets Platelet derived topical agents Postoperative blood salvage/reinfusion RhoGAM Other:
Moderate Sedation History O No prior sedation for procedure O Prior sedation for procedure O Unknown	Previous Problems With Sedation None Unknown reaction Nausea Other: Vomiting	



Section 6: Family History: Any changes from your previous visit? **Section 7: Social History** Have you been hospitalized outside the US in past 6 months? Yes No ☐ Yes ☐ No Patient shows signs/symptoms of neglect? **History Assessed:** Yes ■ No Have you used Tobacco anytime during the past 30 days? ☐ Yes ☐ No □ Never ☐ Wine ☐ Liquor ☐ Beer Other: Type: ☐ 1-2 x year ☐ 1-2 x month ☐ 1-2 x week ☐ 3-5 x week ☐ Daily ☐ Several x Day Frequency: Tobacco Use: ☐ Current Status unknown ☐ Unknown if ever smoked ☐ Current every day smoker ☐ Current some day smoker ☐ Former smoker ■ Never smoker ☐ Heavy tobacco smoker ☐ Light tobacco smoker **Electronic Cigarette Use:** Use, within 90 days Former use, greater than 90 days Never ☐ Unknown/Not Obtained ☐ Other Refused screening Type: ______ Uses/Inhales per day: _____ Substance Use: ☐ Current ☐ Past ☐ Never Type: ____ Type: _____ Caffeine per day: _____ Marital Status: ☐ Married ☐ Single ☐ Divorced ☐ Widowed ☐ Other: Number of Children: **Living Arrangements:** ☐ Alone ☐ Family/Significant Other ☐ Assisted Living ☐ Other:



Do you have daily help needed for self-care?	Yes No Name of Caregiver:
Activities of Daily Living: Any difficulty with?	peech or Communication Memory
☐ Speech or Communication ☐ Memory ☐	Bathing
Physical Activity: Exercise Type:	Frequency:
Section 8: Morse Fall Risk	
History of Falling Immediate or Within Last 3 Months	s: 🗖 Yes 🗖 No
Presence of Secondary Diagnosis:	No
Use of Ambulatory Aid:	s, cane, walker None, bedrest, wheelchair
IV/Heparin Lock:	
Gait/Transferring: ☐ Impaired ☐ Weak ☐	Normal, bedrest, immobile
Mental Status: Forgets Limitations Orient	ed to own ability
Section 9: Advance Directives	
Advance Directives:	
Patient Wishes to Receive Further Information on Ad	dvance Directives:
Section 10: Health Status	
Allergies Verified Meds Verified History O Yes O No O No	
Immunizations Current: ☐ Yes ☐ No ☐ Non Rece ☐ Other	ived Unknown Vaccine Recommended
Patient Counseled Nutrition Other: Physical activity Elevated BMI	
Medical Devices None Pacemaker Implantable cardioverter-defibrillator Other: Insulin pump Medication pump	Durable Medical Equipment Suppose therapy Commode Immobilizer Walker CPAP Other: Wheelchair Spirometry Bed Splint



Section 11: Depression Screening

PHQ2-PHQ9 Screening:

Over the past 2 weeks, how often have you been	Not At	Several	More	Nearly
bothered by any of the following problems?	All	Days	than ½	Every
			the Days	Day
1. Little interest or pleasure in doing things:	0	1	2	3
2. Feeling down, depressed or hopeless:	0	1	2	3
If you answered 0 to the qu	estions al	oove- stop		
3. Trouble falling asleep, staying asleep or	0	1	2	3
sleeping too much:				
4. Feeling tired or having little energy:	0	1	2	3
5. Poor appetite or overeating:	0	1	2	3
6. Feeling bad about yourself:	0	1	2	3
7. Trouble concentrating:	0	1	2	3
8. Moving or speaking so slowly:	0	1	2	3
9. Thoughts that you would be better off dead	0	1	2	3
or of hurting yourself in some way:				
10. Difficulty at work, home, or getting along with	0	1	2	3
others:				
Column Totals:				
Add Totals Together:				
11. If you checked off any problems, how difficult h	ave those p	roblems ma	de it for you	to do your
work, take care of things at home, or get along	with other	people?		
☐ Not Difficult at all ☐ :	Somewhat I	Difficult		
☐ Very Difficult ☐ □	Extremely I	Difficult		



Adult Questionnaire - Sleep Clinic

Please completely fill in the circles which best describe your current condition. Please answer all questions. Thank you

Pulmonary:	Yes	No	Gastrointestinal:	Yes	No
Shortness of breath at rest	0	0	Trouble swallowing	0	0
Shortness of breath with exercise	0	0	Choking on food	0	0
Frequent cough	0	0	Heartburn	0	0
Coughing up blood	0	0	Abdominal pain	0	Ο
Chest pain	0	0	Nausea	0	Ο
Wake up at night short of breath	0	0	Vomiting	0	0
Recurrent chest infections	0	0	Diarrhea	0	Ο
Exposure to tuberculosis	0	0	Ulcers	0	Ο
Wheezing	0	0	Jaundice	0	Ο
Blood clot in legs or lungs	0	0			
Blood clot in legs of fullgs	0	0	Renal:		
Cardiac:			Blood in urine	0	0
			Urinary tract infections	0	0
High blood pressure	0	0	Kidney stones	0	0
Heart attack	0	0	Frequent urination at night	0	0
Leg swelling	0	0	Painful urination	0	0
Heart racing or thumping	0	0	Neurologic:		•
Rheumatic fever	0	0	Stroke	0	0
Needs to sleep on 2 or more pillows	0	0	Migraines	0	0
High cholesterol	0	0	Frequent headaches	0	0
Constitutional symptoms:			Numbness or tingling	0	0
Fever			Seizure	0	0
Night sweats	0	0	Dizziness	0	0
Chills	0	0	Imbalance or unsteadiness	0	0
Weight loss	0	0	Vertigo	0	0
	0	0	Vertigo	O	O
Musculoskeletal:					
Muscle weakness	0	0	Hematology/Oncologic:		
Joint pain	0	0	Anemia	0	О
Joint swelling	0	0	Cancer	0	О
-			Bleeding tendency	0	Ο
Psychiatric:			Blood transfusion	0	О
Depression	0	0			
Anxiety	0	0	ENT:	0	0
Poor sleep	0	0	Blurred vision	0	0
Snoring	0	0	Decreased hearing	0	0
Morning headaches or awakening	0	0	Frequent sore throat	0	0
Excessive sleep during day	Ο	0	Sinus infections	0	0
Panic attacks	Ο	0	Hay fever	0	0
			Hoarseness	0	0



New Patient Adult Sleep Medicine Questionnaire - Sleep Clinic

Epworth Sleepiness Scale

How likely are you to doze off or fall asleep in the following situations, in contrast to just feeling tired? This applies to your usual sleepiness since starting therapy. Even if you have not done some of these things recently, try to work out how they would have affected you.

Use the scale below to choose the most appropriate number for each situation:

0 =would **never** doze 1 =**slight** chance 2 =**moderate** chance 3 =**high** chance

Situation:		ance of	_	•
Sitting and reading	0	1		3
Watching TV				
Sitting inactive in a public place (e.g., movie theater or meeting)				-
As a passenger in a car for an hour without a break				
Lying down to rest in the afternoon when circumstances permit				
, , , , , , , , , , , , , , , , , , ,				
Sitting and talking to someone				_
Sitting quietly after lunch without alcohol				
In a car while stopped for a few minutes in traffic				
IF YOU ARE ON CPAP/BIPAP PLEASE ANSWER THE FOI				
Are you wearing a full face, over the nose, under the nose, or nas	sal pillow	? Y	ES	NO
(circle one) Does your mask fit well?				
Are you wearing a chin strap?				
Is your mask leaking?		Y	ES	NO
If yes, where on your face is the leak occurring?				
Are you choking, gasping, snoring or short of breath while wearing your			ΈS	NO
mask?			ΈS	
Are you experiencing air in your stomach that causes bloating or gassiness?				NO
Are you experiencing dry mouth?		Y	ES	NO
How long does it take you to fall asleep at night?				
How many times do you wake up at night?				
List causes for awakenings:	•			
How many hours do you sleep at night? Bedtime: Wake t	ime:			
Do you feel more refreshed in the morning upon waking?			ES	NO
Are you napping?			ES	NO
Are you exercising?			ES	NO
Are you working on weight loss?			ES	NO
Are you taking sleep aids?		Y	ES	NO
Are you on oxygen at night?		Y	ES	NO
Are you being treated for Restless Leg Syndrome?		Y	ES	NO
How long have you been in PAP therapy?				
What concerns do you have about your PAP therapy?				

