Name: _____ **Date of Birth:** _____ **Date**:_____

Section 1: ID Risk Screen

☐ No Travel History ☐ Last 7 Days ☐ Last 14 Days ☐ Last 21 Days ☐ Last 2 Months

Recent Travel Location: _____

Family Member/Household/Contact Travel History

☐ No Travel History ☐ Last 7 Days ☐ Last 14 Days ☐ Last 21 Days ☐ Last 2 Months

Recent Travel Location: _____

*Contact with person with highly contagious disease (Ebola/MERS/2019-nCoV) AND have one or more of the systems below: ☐ Yes ☐ No

*Travel to a country with wide-spread (Ebola/MERS/2019-nCoV) in the past 21 days AND have one or more of the systems below: ☐ Yes ☐ No

Ebola Symptoms: Fever, Headache, Weakness, Muscle Pain, Vomiting, diarrhea, Abdominal Pain or Hemorrhage

MERS (Middle East Respiratory Syndrome) Symptoms: Fever, Chills/Rigors, Headache, Sore Throat, Cough, Difficulty Breathing, Nausea, Vomiting, Diarrhea, Abdominal Pain or Muscle Pain
Zika Symptoms: Macular or Papular Rash, Fever, Arthralgia or Conjunctivitis
Some symptoms are not unique for TB. For new or worsening cough, provide patient with a mask.
2019-nCov (2019-nCoV Novel Coronavirus) Symptoms: Fever and symptoms of lower respiratory illness (e.g., cough, difficulty breathing)
Infectious Disease Risk Factors/Symptoms—*(Only if YOU or FAMILY MEMBER has traveled)*

	Yes	No
Chills		
Fever		
Fatigue		
Headache		
Runny or Stuffy Nose		
Sore Throat		
Difficulty Breathing		
Shortness of Breath		
New or Worsening Cough		
Wheezing		

	Yes	No
Vomiting		
Diarrhea		
Abdominal(Stomach Pain)		
Weakness/Numbness		
Exposure to Disease		
Abnormal Breathing		
Unexplained bruising		
Joint Pain		
Abscess		
Rash		

MDRO History Surveillance

	Yes	No
History of Clostridium Difficile		
History of Extended Spectrum beta-Lactamase		
History of MRSA		
History of Vancomycin-resistant enterococci		
History of Carbapenem-resistant Enterobacteriaceae		
Other		

Verify droplet, Contact Isolation for Ebola: ☐ Yes ☐ N/A

*Verify Airborne, Contact Isolation for MERS/2019-CoV: ☐ Yes ☐ N/A

Does the patient have any of the following conditions that compromise the immune system?

○ None ○ Acquired immune deficiency syndrome (AIDS) ○ AIDS related complex (ARC) ○ Any immunodeficiency syndrome ○ Chronic Lymphocytic Leukemia (CLL) ○ Congenital or hereditary immunodeficiency ○ Human Immunodeficiency Virus (HIV) ○ Leukemia within 90 days ○ Lymphocytic Leukemia within 90 days ○ Marked Neutropenia within 90 days ○ Myelodysplasia within 90 days	○ Myelogenic Leukemia within 90 days ○ Organ Transplant ○ Pancytopenia within 90 days ○ Prior hospitalization within 14 days ○ Radiation therapy within 90 days ○ Significant neutropenia within 90 days ○ Systemic chemotherapy within 90 days ○ Systemic corticosteroid/Prednisone therapy within 90 days ○ Systemic immunosuppressive therapy within 90 days

Section 2: Summary

Chief Complaint: _____

Neck Circumference: _____inches

Onset of Symptoms: _____

Additional Information: _____

Preferred Language: _____ Method of Arrival: _____

Arrived With: _____ Consent Signed: _____

Onset of Symptoms: _____ Last Menstrual Period: _____

Vitals:

BP: _____ BP site: _____ HR: _____ HR Site: _____

Temp: _____ Site: _____ RR: _____ SpO2 %: _____ O2: _____

Measurements:

Height: _____in/cm Weight: _____lb/kg Method Weight Obtained: _____

Head Circumference: _____cm Abdominal Circumference: _____cm
Chest Circumference: _____ cm

Section 3: Problems and Visit Diagnosis: **Any changes from your previous visit?**

Diagnosis: Why are you being seen today?

_____

Past Medical History:

Date	Problem

Section 4: Medications/Allergies: **Any changes from your previous visit?**

Please list **medications** (including supplements) you are taking now, as well as the **dose** and **date** you started taking it (if known):

Medication Name	Dose (amount taking)	Start Date

Please list any known **allergies** you have, as well as the **type of reaction**:

Allergy	Type of Reaction
Do You have a Latex (rubber) allergy?	☐ Yes ☐ No

Section 5: Procedures/Surgeries: **Any changes from your previous visit?**

Anesthesia and Transfusions:

Anesthesia/Transfusions

- ☐ No anesthesia history
- ☐ Prior anesthesia
- ☐ Prior anesthesia reaction
- ☐ No transfusion history
- ☐ Prior transfusion
- ☐ Prior transfusion reaction
- ☐ Unknown

Anesthesia Reaction(s)

- ☐ None
- ☐ Awareness
- ☐ Cardiac arrest
- ☐ Difficult intubation
- ☐ Excessive post op nausea
- ☐ Hypertension
- ☐ Malignant hyperthermia
- ☐ Unknown reaction
- ☐ Vomiting
- ☐ Other:

Blood Transfusion Acceptable

- ○ Yes
- ○ No
- ○ No, except for

Acceptable Blood Related Products

- ☐ Albumin
- ☐ Cryoprecipitate
- ☐ Darbepoetin (Aranesp)
- ☐ Erythropoietin
- ☐ Factor IX concentrates
- ☐ Factor VII concentrates
- ☐ Immune globulins
- ☐ Intraoperative cell salvage
- ☐ Intraoperative hemodilution
- ☐ Platelets
- ☐ Platelet derived topical agents
- ☐ Postoperative blood salvage/reinfusion
- ☐ RhoGAM
- ☐ Other:

Transfusion Reaction(s)

- ☐ Abdominal pain
- ☐ Anaphylactic reaction
- ☐ Anxiety
- ☐ Back Pain
- ☐ Bronchospasm
- ☐ Chest pain
- ☐ Chills
- ☐ Cyanosis
- ☐ Diarrhea
- ☐ Dizziness
- ☐ Dyspnea
- ☐ Fainting
- ☐ Fever
- ☐ Flank pain
- ☐ Flushing
- ☐ Generalized bleeding
- ☐ Headache
- ☐ Hemoglobinuria
- ☐ Hypertension
- ☐ Hypotension
- ☐ Hypoxia
- ☐ Joint pain
- ☐ Nausea
- ☐ Oliguria
- ☐ Oozing from puncture sites
- ☐ Pain at insertion site
- ☐ Pruritus
- ☐ Rash
- ☐ Restlessness
- ☐ Rigors
- ☐ Tachycardia
- ☐ Tachypnea
- ☐ Urticaria
- ☐ Vomiting
- ☐ Wheezing
- ☐ Other:

Moderate Sedation History

- ○ No prior sedation for procedure
- ○ Prior sedation for procedure
- ○ Unknown

Previous Problems With Sedation

- ☐ None
- ☐ Nausea
- ☐ Vomiting
- ☐ Unknown reaction
- ☐ Other:

Section 6: Family History: **Any changes from your previous visit?**

Section 7: Social History

Have you been hospitalized outside the US in past 6 months? ☐ Yes ☐ No

Patient shows signs/symptoms of neglect? ☐ Yes ☐ No

History Assessed: ☐ Yes ☐ No

Have you used Tobacco anytime during the past 30 days? ☐ Yes ☐ No

Alcohol Use: ☐ Current ☐ Past ☐ Never

Type: ☐ Beer ☐ Wine ☐ Liquor ☐ Other:

Frequency: ☐ 1-2 x year ☐ 1-2 x month ☐ 1-2 x week ☐ 3-5 x week ☐ Daily ☐ Several x Day

Tobacco Use:

☐ Current Status unknown ☐ Unknown if ever smoked ☐ Current every day smoker

☐ Current some day smoker ☐ Former smoker ☐ Never smoker

☐ Heavy tobacco smoker ☐ Light tobacco smoker

Electronic Cigarette Use:

☐ Never ☐ Use, within 90 days ☐ Former use, greater than 90 days

☐ Refused screening ☐ Unknown/Not Obtained ☐ Other

Type: _____ Uses/Inhales per day: _____

Substance Use: ☐ Current ☐ Past ☐ Never

Type: _____

Caffeine Use: ☐ Yes ☐ No

Type: _____ Caffeine per day: _____

Marital Status: ☐ Married ☐ Single ☐ Divorced ☐ Widowed ☐ Other: _____

Number of Children: _____

Living Arrangements:

☐ Alone ☐ Family/Significant Other ☐ Assisted Living ☐ Other: _____

Do you have daily help needed for self-care? ☐ Yes ☐ No ☐ Name of Caregiver:_____

Activities of Daily Living: Any difficulty with? Speech or Communication Memory

☐ Speech or Communication ☐ Memory ☐ Bathing ☐ Household Duties

Physical Activity: Exercise Type: _____ Frequency: _____

Section 8: Morse Fall Risk

History of Falling Immediate or Within Last 3 Months: ☐ Yes ☐ No

Presence of Secondary Diagnosis: ☐ Yes ☐ No

Use of Ambulatory Aid: ☐ Furniture ☐ Crutches, cane, walker ☐ None, bedrest, wheelchair

IV/Heparin Lock: ☐ Yes ☐ No

Gait/Transferring: ☐ Impaired ☐ Weak ☐ Normal, bedrest, immobile

Mental Status: ☐ Forgets Limitations ☐ Oriented to own ability

Section 9: Advance Directives

Advance Directives: ☐ Yes ☐ No

Patient Wishes to Receive Further Information on Advance Directives: ☐ Yes ☐ No

Section 10: Health Status

Allergies Verified	Meds Verified	History Verified
○ Yes ○ No	○ Yes ○ No	○ Yes ○ No

Immunizations Current: ☐ Yes ☐ No ☐ Non Received ☐ Unknown ☐ Vaccine Recommended

☐ Other

Patient Counseled

- ☐ Nutrition
- ☐ Other:
- ☐ Physical activity
- ☐ Elevated BMI

Medical Devices

- ☐ None
- ☐ Pacemaker
- ☐ Implantable cardioverter-defibrillator
- ☐ Other:
- ☐ Insulin pump
- ☐ Medication pump

Durable Medical Equipment

- ☐ Oxygen therapy
- ☐ Commode
- ☐ Immobilizer
- ☐ Walker
- ☐ CPAP
- ☐ Other:
- ☐ Wheelchair
- ☐ Spirometry
- ☐ Bed
- ☐ Splint

Section 11: Depression Screening

PHQ2-PHQ9 Screening:

Over the past 2 weeks, how often have you been bothered by any of the following problems?	Not At All	Several Days	More than ½ the Days	Nearly Every Day
1. Little interest or pleasure in doing things:	0	1	2	3
2. Feeling down, depressed or hopeless:	0	1	2	3
If you answered 0 to the questions above- stop				
3. Trouble falling asleep, staying asleep or sleeping too much:	0	1	2	3
4. Feeling tired or having little energy:	0	1	2	3
5. Poor appetite or overeating:	0	1	2	3
6. Feeling bad about yourself:	0	1	2	3
7. Trouble concentrating:	0	1	2	3
8. Moving or speaking so slowly:	0	1	2	3
9. Thoughts that you would be better off dead or of hurting yourself in some way:	0	1	2	3
10. Difficulty at work, home, or getting along with others:	0	1	2	3
Column Totals:				
Add Totals Together:				

11. If you checked off any problems, how difficult have those problems made it for you to do your work, take care of things at home, or get along with other people?

☐ Not Difficult at all ☐ Somewhat Difficult

☐ Very Difficult ☐ Extremely Difficult

Adult Questionnaire - Sleep Clinic

Please completely fill in the circles which best describe your current condition. Please answer all questions. Thank you

Pulmonary:	Yes	No
Shortness of breath at rest	O	O
Shortness of breath with exercise	O	O
Frequent cough	O	O
Coughing up blood	O	O
Chest pain	O	O
Wake up at night short of breath	O	O
Recurrent chest infections	O	O
Exposure to tuberculosis	O	O
Wheezing	O	O
Blood clot in legs or lungs	O	O
Cardiac:		
High blood pressure	O	O
Heart attack	O	O
Leg swelling	O	O
Heart racing or thumping	O	O
Rheumatic fever	O	O
Needs to sleep on 2 or more pillows	O	O
High cholesterol	O	O
Constitutional symptoms:		
Fever	O	O
Night sweats	O	O
Chills	O	O
Weight loss	O	O
Musculoskeletal:		
Muscle weakness	O	O
Joint pain	O	O
Joint swelling	O	O
Psychiatric:		
Depression	O	O
Anxiety	O	O
Poor sleep	O	O
Snoring	O	O
Morning headaches or awakening	O	O
Excessive sleep during day	O	O
Panic attacks	O	O

Gastrointestinal:	Yes	No
Trouble swallowing	O	O
Choking on food	O	O
Heartburn	O	O
Abdominal pain	O	O
Nausea	O	O
Vomiting	O	O
Diarrhea	O	O
Ulcers	O	O
Jaundice	O	O
Renal:		
Blood in urine	O	O
Urinary tract infections	O	O
Kidney stones	O	O
Frequent urination at night	O	O
Painful urination	O	O
Neurologic:		
Stroke	O	O
Migraines	O	O
Frequent headaches	O	O
Numbness or tingling	O	O
Seizure	O	O
Dizziness	O	O
Imbalance or unsteadiness	O	O
Vertigo	O	O
Hematology/Oncologic:		
Anemia	O	O
Cancer	O	O
Bleeding tendency	O	O
Blood transfusion	O	O
ENT:		
Blurred vision	O	O
Decreased hearing	O	O
Frequent sore throat	O	O
Sinus infections	O	O
Hay fever	O	O
Hoarseness	O	O

Epworth Sleepiness Scale – Sleep Clinic

How likely are you to doze off or fall asleep in the following situations, in contrast to feeling just tired? This refers to your usual way of life in recent times. Even if you have not done some of these things recently try to work out how they would have affected you. Use the following scale to choose the most appropriate number for each situation:

0 = no chance of dozing
1 = slight chance of dozing
2 = moderate chance of dozing
3 = high chance of dozing

Situation:	Chance of dozing (please circle answer)
Sitting and reading	0 1 2 3
Watching TV	0 1 2 3
Sitting, inactive in a public place (theater or meeting)	0 1 2 3
As a passenger in a car for an hour without a break	0 1 2 3
Lying down to rest in the afternoon when circumstances permit	0 1 2 3
Sitting and talking to someone	0 1 2 3
Sitting quietly after lunch without alcohol	0 1 2 3
In a car, while stopped for a few minutes in traffic	0 1 2 3
Total	